

FORM-PTO-1390 (Rev. 12-29-99)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER	
<b>TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371</b>				003300-807	
				U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)	
INTERNATIONAL APPLICATION NO. PCT/EP00/00977		INTERNATIONAL FILING DATE 8 February 2000		PRIORITY DATE CLAIMED 18 February 1999	
TITLE OF INVENTION A PROCESS FOR THE MANUFACTURE OF SOFT TIPPED BLADES					
APPLICANT(S) FOR DO/EO/US Günter BELLMANN, Silvano FRETJ and André GERBER					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
1.	<input type="checkbox"/>	This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.			
2.	<input checked="" type="checkbox"/>	This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.			
3.	<input type="checkbox"/>	This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1).			
4.	<input type="checkbox"/>	A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.			
5.	<input type="checkbox"/>	A copy of the International Application as filed (35 U.S.C. 371(c)(2))			
	a.	<input type="checkbox"/>	is transmitted herewith (required only if not transmitted by the International Bureau).		
	b.	<input type="checkbox"/>	has been transmitted by the International Bureau.		
	c.	<input type="checkbox"/>	is not required, as the application was filed in the United States Receiving Office (RO/US)		
6.	<input type="checkbox"/>	A translation of the International Application into English (35 U.S.C. 371(c)(2)).			
7.	<input type="checkbox"/>	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))			
	a.	<input type="checkbox"/>	are transmitted herewith (required only if not transmitted by the International Bureau).		
	b.	<input type="checkbox"/>	have been transmitted by the International Bureau.		
	c.	<input type="checkbox"/>	have not been made; however, the time limit for making such amendments has NOT expired.		
	d.	<input type="checkbox"/>	have not been made and will not be made.		
8.	<input type="checkbox"/>	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).			
9.	<input checked="" type="checkbox"/>	An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).			
10.	<input type="checkbox"/>	A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).			
Items 11. to 16. below concern other document(s) or information included:					
11.	<input type="checkbox"/>	An Information Disclosure Statement under 37 CFR 1.97 and 1.98.			
12.	<input checked="" type="checkbox"/>	An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.			
13.	<input type="checkbox"/>	A <b>FIRST</b> preliminary amendment.			
	<input type="checkbox"/>	A <b>SECOND</b> or <b>SUBSEQUENT</b> preliminary amendment.			
14.	<input type="checkbox"/>	A substitute specification.			
15.	<input type="checkbox"/>	A change of power of attorney and/or address letter.			
16.	<input type="checkbox"/>	Other items or information:			

U.S. APPLICATION NO (if known, / see 37 C F R 1 50)  
09/913,593

INTERNATIONAL APPLICATION NO  
PCT/EP00/00977

ATTORNEY'S DOCKET NUMBER  
003300-807

17. ☐ The following fees are submitted:

CALCULATIONS

PTO USE ONLY

**Basic National Fee (37 CFR 1.492(a)(1)-(5)):**

Neither international preliminary examination fee (37 CFR 1.482)  
nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO  
and International Search Report not prepared by the EPO or JPO ..... \$1,000.00 (960)

International preliminary examination fee (37 CFR 1.482) not paid to  
USPTO but International Search Report prepared by the EPO or JPO ..... \$860.00 (970)

International preliminary examination fee (37 CFR 1.482) not paid to USPTO  
but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... \$710.00 (958)

International preliminary examination fee paid to USPTO (37 CFR 1.482)  
but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... \$690.00 (956)

International preliminary examination fee paid to USPTO (37 CFR 1.482)  
and all claims satisfied provisions of PCT Article 33(1)-(4) ..... \$100.00 (962)

**ENTER APPROPRIATE BASIC FEE AMOUNT =**

\$ --

Surcharge of \$130.00 (154) for furnishing the oath or declaration later than  
months from the earliest claimed priority date (37 CFR 1.492(e)).

20 ☐ 30 ☒

\$ 130.00

Claims	Number Filed	Number Extra	Rate		
Total Claims	-20 =		X\$18.00 (966)	\$ --	
Independent Claims	-3 =		X\$80.00 (964)	\$ --	
Multiple dependent claim(s) (if applicable)			+\$270.00 (968)	\$ --	

**TOTAL OF ABOVE CALCULATIONS =**

\$ 130.00

Reduction for 1/2 for filing by small entity, if applicable (see below).

\$ --

**SUBTOTAL =**

\$ 130.00

Processing fee of \$130.00 (156) for furnishing the English translation later than  
months from the earliest claimed priority date (37 CFR 1.492(f)).

20 ☐ 30 ☐

\$ --

+

**TOTAL NATIONAL FEE =**

\$ 130.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by  
an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 (581) per property +

\$ --

**TOTAL FEES ENCLOSED =**

\$ 130.00

Amount to be:  
refunded \$

charged \$

- a. ☐ Small entity status is hereby claimed.
- b. ☒ A check in the amount of \$ 130.00 to cover the above fees is enclosed.
- c. ☐ Please charge my Deposit Account No. 02-4800 in the amount of \$ to cover the above fees. A duplicate copy of this sheet is enclosed.
- d. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-4800. A duplicate copy of this sheet is enclosed.

**NOTE:** Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Benton S. Duffett, Jr.  
BURNS, DOANE, SWECKER & MATHIS, L.L.P.  
P.O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

SIGNATURE

Benton S. Duffett, Jr.

NAME

22,030

REGISTRATION NUMBER

Date: August 30, 2001

FORM-PTO-1390  
(Rev. 12-25-99)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

**TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371**

003300-807

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)

**09/913593**INTERNATIONAL APPLICATION NO.  
PCT/EP00/00977INTERNATIONAL FILING DATE  
8 February 2000PRIORITY DATE CLAIMED  
18 February 1999

TITLE OF INVENTION

**A PROCESS FOR THE MANUFACTURE OF SOFT TIPPED BLADES**

APPLICANT(S) FOR DO/EO/US

**GÜNTHER BELLMANN, SILVANO FRETI, and ANDRÉ GERBER**


Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

It is contemplated that this Application be prosecuted while using new Specification Page Nos. 2, 2a, and 7, and new Claims 1 to 10 (as further amended in the Preliminary Amendment filed herewith) that were submitted on November 28, 2000 during the international phase of the prosecution.

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
- ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
  - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☒ has been transmitted by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
- ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
- ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☐ have not been made and will not be made.
- ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). (Signed Declaration will follow).
- ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern other document(s) or information included:

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
  - ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information: A certified copy of Swedish Application No. 9900564-7, filed 18 February 1999, was submitted during the international phase of prosecution. Thus the claim for priority has been perfected.

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.50) <b>09/913593</b>		INTERNATIONAL APPLICATION NO. PCT/EP00/00977		ATTORNEY'S DOCKET NUMBER 003300-807	
17. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS	PTO USE ONLY
<b>Basic National Fee (37 CFR 1.492(a)(1)-(5)):</b>  Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... \$1,000.00 (960)  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... \$860.00 (970)  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... \$710.00 (958)  International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... \$690.00 (956)  International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) ..... \$100.00 (962)					
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				\$ 860.00	
Surcharge of \$130.00 (154) for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492(e)). 20 <input type="checkbox"/> 30 <input checked="" type="checkbox"/>				\$	
Claims	Number Filed	Number Extra	Rate		
Total Claims	20 -20 =	0	X\$18.00 (966)	\$ --	
Independent Claims	2 -3 =	0	X\$80.00 (964)	\$ --	
Multiple dependent claim(s) (if applicable)			+ \$270.00 (968)	\$ --	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				\$ 860.00	
Reduction for 1/2 for filing by small entity, if applicable (see below).				\$ --	-
<b>SUBTOTAL =</b>				\$ 860.00	
Processing fee of \$130.00 (156) for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492(f)). 20 <input type="checkbox"/> 30 <input type="checkbox"/>				\$ --	
<b>TOTAL NATIONAL FEE =</b>				\$ 860.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 (581) per property +				\$ --	
<b>TOTAL FEES ENCLOSED =</b>				\$ 860.00	
				<b>Amount to be:</b>	
				<b>refunded</b>	\$
				<b>charged</b>	\$
a. <input type="checkbox"/> Small entity status is hereby claimed. b. <input checked="" type="checkbox"/> A check in the amount of \$ <u>860.00</u> to cover the above fees is enclosed. c. <input type="checkbox"/> Please charge my Deposit Account No. <u>02-4800</u> in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. d. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>02-4800</u> . A duplicate copy of this sheet is enclosed.					
<b>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.</b>					
SEND ALL CORRESPONDENCE TO:					
Benton S. Duffett, Jr. BURNS, DOANE, SWECKER & MATHIS, L.L.P. P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620					
 SIGNATURE					
Benton S. Duffett, Jr. NAME					
<u>22,030</u> REGISTRATION NUMBER					
Filed: August 16, 2001					

09/913593

513 Rec'd PCT/PTO 16 AUG 2001

Patent

Attorney's Docket No. 003300-807

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of )  
 )  
GÜNTER BELLMANN ) **BOX PCT**  
 )  
Application No.: (unassigned) ) Attention: DO/EO/US  
 )  
Filed: August 16, 2001 ) Examiner: (unassigned)  
 )  
For: A PROCESS FOR THE ) Group Art Unit: (unassigned)  
MANUFACTURE OF SOFT TIPPED )  
BLADES )

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

This is a national phase filing of International Application No. PCT/EP00/00977,  
filed 8 February 2000.

It is contemplated that this Application be prosecuted while using new Specification  
Page Nos. 2, 2a, and 7, and new Claims 1 to 10 (as further amended herein) that were  
submitted on November 28, 2000 during the international phase of the prosecution.

**IN THE ABSTRACT:**

Please add the Abstract of the Disclosure that is provided on a separate sheet.

**IN THE CLAIMS:**

Kindly replace Claims 3 to 6, 9 and 10 as follows:

3. (Amended) A process according to claim 1, characterized by roughening said edge (5) or central section (13) before application step b) to improve adhesion of the coating.
4. (Amended) A process according to claim 1, characterized by the application of a primer before application step b) to further improve adhesion of the coating.
5. (Amended) A process according to claim 1, wherein said fast-curing polymer composition has a pot-life of about 5 to 30 seconds.
6. (Amended) A process according to claim 1, wherein said polymer composition is based on a polymer selected from polyurethanes, styrene-butadien polymers, polyolefins, nitrile rubbers, natural rubbers, polyacrylates, polychloroprene, thermoplastic elastomers, and polysiloxanes.
9. (Amended) A process according to claim 1, wherein said polymer is applied with a width of about 5 to 40 mm and a thickness of about 1 to 3 mm.
10. (Amended) A process according to claim 1, wherein said polymeric coating after curing is subjected to a grinding operation to obtain a desired profile.

Please add the following new Claims 11 to 20 as follows:

11. (New) A process according to claim 2, characterized by roughening said edge (5) or central section (13) before application step b) to improve adhesion of the coating.
12. (New) A process according to claim 2, characterized by the application of a primer before application step b) to further improve adhesion of the coating.
13. (New) A process according to claim 3, characterized by the application of a primer before application step b) to further improve adhesion of the coating.
14. (New) A process according to claim 11, characterized by the application of a primer before application step b) to further improve adhesion of the coating.
15. (New) A process according to claim 2, wherein said fast-curing polymer composition has a pot-life of about 5 to 30 seconds.
16. (New) A process according to claim 3, wherein said fast-curing polymer composition has a pot-life of about 5 to 30 seconds.

17. (New) A process according to claim 2, wherein said polymer composition is based on a polymer selected from polyurethanes, styrene-butadien polymers, polyolefins, nitrile rubbers, natural rubbers, polyacrylates, polychloroprene, thermoplastic elastomers, and polysiloxanes.

18. (New) A process according to claim 3, wherein said polymer composition is based on a polymer selected from polyurethanes, styrene-butadien polymers, polyolefins, nitrile rubbers, natural rubbers, polyacrylates, polychloroprene, thermoplastic elastomers, and polysiloxanes.

19. (New) A process according to claim 2, wherein said polymer is applied with a width of about 5 to 40 mm and a thickness of about 1 to 3 mm.

20. (New) A process according to claim 2, wherein said polymeric coating after curing is subjected to a grinding operation to obtain a desired profile.

003300-807



**REMARKS**

The present amendment adds an Abstract of the Disclosure on a separate sheet and modifies the claim form only so as to eliminate the use of multiple dependency.

The examination and allowance of the Application are respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: 

Benton S. Duffett, Jr.  
Registration No. 22,030

P.O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

Date: August 16, 2001

FOEEO" E69ET660

**Attachment to Preliminary Amendment dated August 16, 2001**

**Marked-up Copy**

**Abstract of the Disclosure**

A process for the manufacture of a coating or doctoring blade comprising a band of steel or other form-stable material and a wear-resistant polymer coating applied on said band along a longitudinal edge section thereof subjected to wear, said process comprising the following steps: (a) providing continuous relative movement between said band and an application and treatment station; (b) continuously applying at said station a fast-curing polymer composition along said edge section; (c) allowing the applied composition to spread out so as to reach the very extreme of said edge section and then to cure to form an elastic and tacky-free coating; and, optionally (d) post-curing the coating at an increased temperature; as an alternative to such process there can be used a blade of double width compared to said first band and continuously supplying a fast-curing composition along a longitudinal central section of double width compared to said edge section and longitudinally cutting said second band along the middle of the coated central section thereof to form two tip-coated blades; and a coating or doctoring blade prepared by such process.

003300-807

**Attachment to Preliminary Amendment dated August 16, 2001**

**Marked-up Claims 3 to 6, 9 and 10**

3. (Amended) A process according to claim 1 [or 2], characterized by roughening said edge (5) or central section (13) before application step b) to improve adhesion of the coating.
4. (Amended) A process according to claim 1, [2 or 3,] characterized by the application of a primer before application step b) to further improve adhesion of the coating.
5. (Amended) A process according to [any preceding] claim 1, wherein said fast-curing polymer composition has a pot-life of about 5 to 30 seconds.
6. (Amended) A process according to [any preceding] claim 1, wherein said polymer composition is based on a polymer selected from polyurethanes, styrene-butadien polymers, polyolefins, nitrile rubbers, natural rubbers, polyacrylates, polychloroprene, thermoplastic elastomers, and polysiloxanes.
9. (Amended) A process according to [any preceding] claim 1, wherein said polymer is applied with a width of about 5 to 40 mm and a thickness of about 1 to 3 mm.

**Attachment to Preliminary Amendment dated August 16, 2001**

**Marked-up Claims 3 to 6, 9 and 10**

10. (Amended) A process according to [any preceding] claim 1, wherein said polymeric coating after curing is subjected to a grinding operation to obtain a desired profile.

003300-807-0001

A PROCESS FOR THE MANUFACTURE OF SOFT TIPPED BLADES.Technical field

The present invention relates to processes for the manufacture of coating or doctoring blades comprising a band of steel or other form-stable material and a wear-resistant coating applied onto said band along a longitudinal edge section thereof subject to wear.

Background of the invention

Coating or doctoring blades tipped with rubbery or soft material are presently prepared only by moulding in a closed mould in which a band of steel or other form-stable material is placed and constitutes substrate for the coating. A liquid mix of components is injected at the lower end of a preheated mould until it appears at the opposite upper end. Care has to be taken to prevent introduction of air bubbles in the liquid material and no leakage from the mould must occur. A demoulding agent, generally based on silicones, is applied on the mould surfaces to prevent sticking of the cured material. Once filled, the mould is introduced into a circulated air oven at 80-110°C until curing has taken place so that the blades can be demoulded. This takes generally 45 to 180 minutes. After demoulding the blades are post-cured at 80-110°C for 12-24 hours.

This batch process is associated with several disadvantages, among which the main drawbacks are:

- the process encounters low productivity;
- each new blade geometry and blade length requires a new mould;
- the mould manufacturing costs are high, especially for large moulds with complex profiles;
- the larger the mould, the larger the oven necessary to preheat the mould and to cure the rubbery or soft ma-

terial, and the higher the pressure necessary to fill the mould;

- there are limitations in blade length because of difficulties in filling the mould without defects occurring, the need for longer pot-lives and lower viscosities, increasing mould weight, time to open, close and clean the mould etc.

→

For these and other reasons it is desirable to develop a simple and economic continuous process to produce such blades without limitations to length and geometry.

#### Brief summary of the invention

One object of the invention is to provide a continuous process for the manufacture of coating or doctoring blades provided with a wear-resistant soft or rubbery coating.

Another object of the invention is to provide such a process which will impart no limitations to blade length and geometry of the coated blade.

Still another object of the invention is to provide a continuous process which is commercially competitive and flexible to meet consumers' specifications.

For these and other objects which will be clear from the following disclosure the invention provides a continuous process for the manufacture of coating or doctoring blades comprising a band of steel or other form-stable material and a wear-resistant polymer coating applied on said band along a longitudinal edge section thereof subjected to wear. The process involves the following steps:

- a) providing continuous relative movement between said band and an application and treatment station;
- b) continuously applying at said station a fast-curing polymer composition along said edge section;

c) allowing the applied composition to spread out so as to reach the very extreme of said edge section and then to cure to form an elastic and tacky-free coating; and, optionally

5 d) post-curing the coating at an increased temperature.

According to an alternative embodiment of such continuous process the following steps are involved:

a) providing continuous relative movement between a  
10 second band of double width compared to said first band and an application and treatment station;

b) continuously supplying at said station a fast-curing composition along a longitudinal central section of double width compared to said edge section;

15 c) allowing the applied composition to spread out to the desired width and then to cure to form an elastic and tacky-free coating and, optionally, post-curing the coating at an increased temperature; and

d) longitudinally cutting said second band along the  
20 middle of the coated central section thereof to form two tip-coated blades.

In the process according to the invention it is preferred to introduce before application step b) above a  
25 roughening step for said edge or central section to improve the adhesion of the coating.

It is also preferred for further improving the adhesion of the coating to apply a primer before application step b) above.

30 According to a preferred embodiment of the invention the fast-curing polymer composition has a pot-life of about 5 to about 30 sec.

Among preferred fast-curing polymers there may be mentioned those selected from polyurethanes, styrene-  
35 butadien polymers, polyolefins, nitrile rubbers, natural rubbers, polyacrylates, polychloroprene, thermoplastic elastomers, and polysiloxanes. It is particularly pre-

ferred to use as a polymer a polyurethane.

A suitable fast-curing polymer composition is a 3-component liquid polyurethane composition containing a prepolymer, a polyol and a chain extender. Such composition is continuously mixed with a catalyst solution, whereafter the mixture is applied onto the band to be coated.

The coating width is preferably from about 5 to about 40 mm and a preferred thickness is from about 1 to about 3 mm.

After curing of the coating it is preferred to subject the coating to a grinding operation to obtain the desired profile or geometry.

#### Brief summary of the drawing

The present invention will in the following be described with reference to the appended drawing, wherein:

Figure 1 is a diagrammatic view of a continuously moving band also illustrating the coating to be applied;

Figure 2 is a corresponding view of the alternative procedure of simultaneous manufacture of two soft-tipped blades; and

Figure 3 is a diagrammatic side view of an assembly for performing the continuous process according to the invention.

#### Detailed description of the invention

A preferred sequence of process steps is described in the following in general terms, but it should be observed that the present invention is not restricted to such steps other than as defined in the accompanying claims.

Step 1. This step involves surface preparation of a cold rolled metallic substrate having a thickness of 0.1 to 1.5 mm, a width of 50 to 200 mm and a length of up to 100 m. The surface area of the blade intended to receive the soft material deposit (edge or centre) is roughened



by sand or grit-blasting and optionally thereafter degreased and cleaned. The width of the roughened surface area is between 5 and 40 mm (double these figures for centre deposit).

5        Step 2. This step is concerned with the deposition of adherend or primer. In order to achieve a good adhesion between the soft material composition and the base substrate application of an intermediate bonding layer is preferred. The solvent or water-borne adherend or primer  
10 solution is applied on top of the sand or grit-blasted surface area by anyone of the following methods: spraying, brushing, roller coating, doctor blade application, flow coating, etc in such a way as to produce an even and smooth coating of a dry thickness of 5 to 30  $\mu\text{m}$ . In order  
15 to assist and accelerate solvent or water evaporation the blade can be passed through a hot air drying tunnel after which the coating becomes tack-free enabling winding up of the coated blade.

20        Step 3. The soft material composition is applied on top of the primer intermediate layer using a low (or high) pressure mixing and dosing machine capable of handling ultra-fast curing multicomponent resin systems with pot-lives as short as 5-30 seconds. The mixed resin components are poured directly from the mixing chamber onto  
25 the moving metallic substrate through a suitable nozzle.

During the 5-30 seconds of pot-life, the resin spreads out until it reaches the edge of the substrate or remains in the centre of the blade of double width depending on the positioning of the nozzle. After this very  
30 short time, viscosity increases due to the reaction of the components and prevents further spreading out or dripping off the substrate edge in the alternative of edge coating of a single width blade. By the time the applied resin reaches the winding up site it has hardened  
35 or cured to the extent of becoming elastic and tacky-free and the blade can be wound up using a spacer to avoid surface damage. The width and thickness of the applied

ribbon is controlled by the flow rate and the linear velocity of the substrate, but depends also on the initial rheology and pot-life corresponding to the rate of viscosity increase of the formulation. The pot-life is controlled by the type and concentration of the curing catalyst.

Typically a width of 5-40 mm is achieved and a thickness of 1-3 mm, when using a flow rate of 0.25 to 1.5 kg/min and a linear speed of 1.5 to 10 m/min of the travelling band.

Step 4. In order to obtain optimal mechanical properties of the rubber-like composition thermal treatment is performed to further post-cure the material. This can be directly performed on the wound up blade of Step 3 by introducing same into a circulated air oven for 16-24 h at 80-85°C.

Step 5. Finally, the post-cured rubber-like deposit is ground to the desired shape and geometry, and the blades are cut to the desired dimensions. In the alternative case of a deposit on the substrate centre the blade is first longitudinally cut in two halves by means of a laser beam or any other cutting device.

The drawing illustrates diagrammatically the two alternatives of blade manufacture in Figures 1 and 2 and also a suitable machine set up for the continuous process in accordance with Figure 3.

In Figure 1 there is shown a travelling steel band 1 moving in the direction of arrow a). The resin nozzle 3 applies the resin composition which widens to the desired ribbon 5 reaching up to one edge of blade 1.

Figure 2 shows the alternative of a simultaneous manufacture of two blades by using a blade 9 of double width and the application of a coating 13 of double width from an application nozzle 11. After curing of coating 13 the blade is longitudinally cut into two halves along line 15 by means of laser or any suitable cutting device.

Figure 3 shows diagrammatically a side view of a ma-

chine assembly for performing the continuous process in accordance with the invention. A steel band 1 is supplied from a storage reel 19 and travels through a hot air tunnel for pre-heating and drying purposes. A mixing chamber 5 23 provided with an application nozzle 25 is placed above the travelling band 1 and applies a coating composition along the edge of band 1 as illustrated in Figure 1. The coated band 1 further travels through a hot air tunnel for curing purposes and band 1 with the applied elastic and tacky-free coating is then wound up on a take-up reel 10 29 using a spacer to avoid surface damage and also to compensate for the coating thickness. The coated blade is then ground to the desired shape and geometry and the band is cut in desired lengths to meet the consumers' 15 need.

#### Description of specific embodiments

The following examples further illustrate the invention by specific embodiments thereof. It should be noted, 20 however, that the invention is not restricted to these examples.

#### Example I

##### a) Bonding agent

25 A reel of cold rolled steel having a thickness of 0.635 mm, a width of 100 mm and a length of 30 m, is sand blasted on one side in an area forming a 3 cm wide longitudinal strip from one edge, using *Edelkorund weiss (WSK) F 180* (Treibacher). The roughened surface area is coated 30 in a continuous way with a bonding agent such as *Chemosil 597 E* (Henkel) used to promote adhesion of cast polyurethanes to steel. The bonding agent solution is applied without dilution by means of a 0.15 mm thick and 4 cm wide bent steel blade so as to cover the entire sand 35 blasted area with a regular and smooth film of approximately 15  $\mu$ m dry thickness. After evaporation of the solvent, the reel of coated steel is optionally cured in a

circulated air oven at 85°C for 2 hours.

b) PUR top coat

The liquid cast polyurethane composition used to coat the blade is applied on top of the bonding agent coated strip by means of a low pressure mixing and dosing machine equipped with a device allowing to inject a catalyst directly into the mixing chamber. The 3 component PUR is formulated to an ultra fast-curing composition by injecting a highly efficient catalyst solution directly into the mixing chamber. The composition is made up of an MDI (Polyester "quasi" prepolymer having an isocyanate content of 16.4% such as Ureflex<sup>®</sup> MDQ 23165 (Baulé), a Polyester Polyol Ureflex<sup>®</sup> D20 (Baulé) and a chain extender 1,4-Butanediol (Baulé), mixed in a ratio of 100:140:10.4 respectively. The catalyst solution Ureflex<sup>®</sup> SD6 (Baulé) is introduced directly into the mixing chamber at a rate of 2% of the total output of 0.25 kg/min, providing a pot-life of approximately 15 sec and a gel time of approximately 30 sec. The liquid mix is applied at 1 cm of the edge within the 3 cm wide bonding agent strip on the substrate moving at a linear speed of 3.3 m/min. The moving substrate is wound up 4 m away from the pouring point, leaving enough time for the polyurethane to gelify and become tack-free, while using a spacer so as to prevent any surface damage of the applied Polyurethane elastomer during the winding up operation. The reel of wound up substrate and spacer is then submitted to a heat treatment in a circulated air oven at 85°C for 24 h. After cooling down, the reel is unwound and shows no deformation of the metal substrate. The fully cured polyurethane elastomer strip has a shore A hardness of 70-73 (measured on the blade), a width of 3 cm and a thickness of 2.5 mm, obtained in one pass. Finally, the blades are ground in a continuous way to the final blade geometry and cut to the desired length.

Example II

Example I is repeated using a steel band with a width of 200 mm, the area to be coated being centrally positioned and having a width of 6 cm. This area is  
5 treated and coated as described in Example I and the band is then laser cut along the middle of the coated area, and tip grinding is performed to the desired blade geometry.

The invention has been described above by specific  
10 examples and sequence of steps involved in the continuous process according to the invention. However, it is clear to the skilled artisan that the process can be modified in different ways without departing from the inventive concept according to the appended claims. All such modi-  
15 fications are intended to be covered by said claims.

CLAIMS

1. A process for the manufacture of a coating or doctoring blade comprising a band of steel or other form-stable material and a wear-resistant polymer coating applied on said band along a longitudinal edge section thereof subjected to wear, characterized by the following steps:

- a) providing continuous relative movement between said band and an application and treatment station;
- 10 b) continuously applying at said station a fast-curing polymer composition along said edge section;
- c) allowing the applied composition to spread out so as to reach the very extreme of said edge section and then to cure to form an elastic and tacky-free coating;
- 15 and, optionally
- d) post-curing the coating at an increased temperature.

2. A process for the manufacture of a coating or doctoring blade comprising a first band of steel or other form-stable material and a wear-resistant polymer coating applied on said band along a longitudinal edge section thereof subjected to wear, characterized by the following steps:

- a) providing continuous relative movement between a second band of double width compared to said first band and an application and treatment station;
- 25 b) continuously supplying at said station a fast-curing composition along a longitudinal central section of double width compared to said edge section;
- 30 c) allowing the applied composition to spread out to the desired width and then to cure to form an elastic and tacky-free coating and, optionally, post-curing the coating at an increased temperature; and
- 35 d) longitudinally cutting said second band along the middle of the coated central section thereof to form two tip-coated blades.

3. A process according to claim 1 or 2, characterized by roughening said edge or central section before application step b) to improve adhesion of the coating.

4. A process according to claim 1, 2 or 3, characterized by the application of a primer before application step b) to further improve adhesion of the coating.

5. A process according to any preceding claim, wherein said fast-curing polymer composition has a pot-life of about 5 to 30 seconds.

10 6. A process according to any preceding claim, wherein said polymer composition is based on a polymer selected from polyurethanes, styrene-butadien polymers, polyolefins, nitrile rubbers, natural rubbers, polyacrylates, polychloroprene, thermoplastic elastomers, and  
15 polysiloxanes.

7. A process according to claim 6, wherein said polymer is a polyurethane.

8. A process according to claim 7, wherein a 3-component liquid polyurethane composition containing a  
20 prepolymer, a polyol and a chain extender is continuously mixed with a catalyst solution and the mixture is then applied onto said band.

9. A process according to any preceding claim, wherein said polymer is applied with a width of about 5  
25 to 40 mms and a thickness of about 1 to 3 mms.

10. A process according to any preceding claim, wherein said polymeric coating after curing is subjected to a grinding operation to obtain a desired profile.

11. A coating or doctoring blade prepared by the  
30 process according to any one of the preceding claims.

1/1




Fig. 1




Fig. 2




Fig. 3

09/913593-083001



**COMBINED DECLARATION AND POWER OF ATTORNEY  
FOR UTILITY PATENT APPLICATION**

Attorney's Docket No.

003300-807

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL, FIRST AND JOINT INVENTOR (if more than one name is listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:

A PROCESS FOR THE MANUFACTURE OF SOFT TIPPED BLADES

the specification of which

(check one)

☐

is attached hereto;

☒

was filed on February 8, 2000 as

Application No. PCT/EP00/00977

and was amended on December 1, 2000;  
(if applicable)

I HAVE REVIEWED AND UNDERSTAND THE CONTENTS OF THE ABOVE-IDENTIFIED SPECIFICATION, INCLUDING THE CLAIMS, AS AMENDED BY ANY AMENDMENT REFERRED TO ABOVE;

I ACKNOWLEDGE THE DUTY TO DISCLOSE TO THE OFFICE ALL INFORMATION KNOWN TO ME TO BE MATERIAL TO PATENTABILITY AS DEFINED IN TITLE 37, CODE OF FEDERAL REGULATIONS, Sec. 1.56 (as amended effective March 16, 1992);

I do not know and do not believe the said invention was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to said application; that said invention was not in public use or on sale in the United States of America more than one year prior to said application; that said invention has not been patented or made the subject of an inventor's certificate issued before the date of said application in any country foreign to the United States of America on any application filed by me or my legal representatives or assigns more than twelve months prior to said application;

I hereby claim foreign priority benefits under Title 35, United States Code Sec. 119 and/or Sec. 365 of any foreign application(s) for patent or inventor's certificate as indicated below and have also identified below any foreign application for patent or inventor's certificate on this invention having a filing date before that of the application(s) on which priority is claimed:

# COMBINED DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

003300-807

COUNTRY/INTERNATIONAL	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED
Sweden	9900564-7	18 February 1999	YES <u>X</u> NO <u>  </u>
			YES <u>  </u> NO <u>  </u>

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

William L. Mathis	17,337	Eric H. Weisblatt	30,505	Bruce T. Wieder	33,815
Robert S. Swecker	19,885	James W. Peterson	26,057	Todd R. Walters	34,040
Platon N. Mandros	22,124	Teresa Stanek Rea	30,427	Ronni S. Jillions	31,979
Benton S. Duffett, Jr.	22,030	Robert E. Krebs	25,885	Harold R. Brown III	36,341
Norman H. Stepno	22,716	William C. Rowland	30,888	Allen R. Baum	36,086
Ronald L. Grudziecki	24,970	T. Gene Dillahunty	25,423	Brian P. O'Shaughnessy	32,747
Frederick G. Michaud, Jr.	26,003	Patrick C. Keane	32,858	Kenneth B. Leffler	36,075
Alan E. Kopecki	25,813	B. Jefferson Boggs, Jr.	32,344	Fred W. Hathaway	32,236
Regis E. Slutter	26,999	William H. Benz	25,952	Wendi L. Weinstein	34,456
Samuel C. Miller, III	27,360	Peter K. Skiff	31,917	Mary Ann Dillahunty	34,576
Robert G. Mukai	28,531	Richard J. McGrath	29,195		
George A. Hovanec, Jr.	28,223	Matthew L. Schneider	32,814		
James A. LaBarre	28,632	Michael G. Savage	32,596		
E. Joseph Gess	28,510	Gerald F. Swiss	30,113		
R. Danny Huntington	27,903	Charles F. Wieland III	33,096		



**21839**

and: none

Address all correspondence to:



**21839**

Benton S. Duffett, Jr.  
BURNS, DOANE, SWECKER & MATHIS, L.L.P.  
P.O. Box 1404  
Alexandria, Virginia 22313-1404


Address all telephone calls to: Benton S. Duffett, Jr. at (703) 836-6620.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST INVENTOR	SIGNATURE	DATE
GÜNTER BELLMANN	<i>G. Bellmann</i>	August 3, 2001
RESIDENCE	CITIZENSHIP	
Commugny, Switzerland <u>CHX</u>	<del>Switzerland</del> Germany	
POST OFFICE ADDRESS		
39 chemin de la Dauphine, CH-1291 Commugny, Switzerland		
FULL NAME OF SECOND JOINT INVENTOR, IF ANY	SIGNATURE	DATE
SILVANO FRETI	<i>S. Freti</i>	August 15 <sup>th</sup> , 2001
RESIDENCE	CITIZENSHIP	
St. Prex, Switzerland <u>CHX</u>	Switzerland	
POST OFFICE ADDRESS		
46 chemin de la Damaz, CH-1162 St. Prex, Switzerland		

Senaugin 12

<b>COMBINED DECLARATION AND POWER OF ATTORNEY</b>	Attorney's Docket No. 003300-807
---	-------------------------------------

FULL NAME OF THIRD JOINT INVENTOR, IF ANY ANDRÉ GERBER	SIGNATURE 	DATE August 3rd, 2001
RESIDENCE Prangins, Switzerland CHX	CITIZENSHIP Switzerland	
POST OFFICE ADDRESS 11a chemin de la Mélézes, CH-1197 Prangins, Switzerland		
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF FIFTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF SIXTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF SEVENTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF NINTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		
FULL NAME OF TENTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE	CITIZENSHIP	
POST OFFICE ADDRESS		